

# Reference Table Review

## Regents Chemistry

Name: \_\_\_\_\_

**Table A**  
**Standard Temperature and Pressure**

Name	Value	Unit
Standard Pressure	101.3 kPa 1 atm	kilopascal atmosphere
Standard Temperature	273 K 0°C	kelvin degree Celsius

**Table A Questions:**

1. Convert 2 atm in kPa.
2. Convert 303.9 kPa in atm.
3. What is the difference between 1 K and 1°C?
4. What is the 0 K temperature called?
5. Describe the volume and the movement of the particles in a sample of H<sub>2</sub> gas at -273°C.
6. What does STP stand for?
7. What are the two units of pressure represented in the table?
8. What are the two units of temperature represented in the table?
9. How many pascals are in 10 kPa?

**Table B**  
**Physical Constants for Water**

Heat of Fusion	334 J/g
Heat of Vaporization	2260 J/g
Specific Heat Capacity of H <sub>2</sub> O (l)	4.18 J/g•K

**Table B Questions:**

1. What is the definition of the Heat of Fusion?
2. Based on the definition of the Heat of Fusion make up a problem.
3. Convert the units of the Heat of Fusion into cal/g and kcal/g (1 cal = 4.18 J)
4. Give a synonym for the word fusion.
5. What is the definition of the Heat of Vaporization?
6. Based on the definition of the Heat of Vaporization make up a problem.
7. Convert the units of the Heat of Vaporization into cal/g and kcal/g (1 cal = 4.18 J)
8. What is the definition for the Specific Heat Capacity of H<sub>2</sub>O (l).
9. Based on the definition of the Specific Heat Capacity of H<sub>2</sub>O (l) make up a problem.
10. Convert the units of the Specific Heat Capacity of H<sub>2</sub>O (l) into cal/g and kcal/g (1 cal = 4.18 J).
11. Relate the heat of fusion with energy and bonding.
12. Relate the heat of vaporization with energy and bonding.

**Table C  
Selected Prefixes**

Factor	Prefix	Symbol
$10^3$	kilo-	k
$10^{-1}$	deci-	d
$10^{-2}$	centi-	c
$10^{-3}$	milli-	m
$10^{-6}$	micro-	$\mu$
$10^{-9}$	nano-	n
$10^{-12}$	pico-	p

**Table C Questions**

1. What is a prefix?
2. How many grams are in 10 kg?
3. How many meters are in 100 micrometers?
4. Convert 45 pm to cm.
5. Convert 1 kg to pg.
6. How many decimeters, centimeters, millimeters, micrometers, nanometers, and picometers are in 1 meter?
7. What is the name of this unit system and what is it based on?

**Table D Questions:**

1. What are units?
2. What units could be used to calculate the density of a solid?
3. What are the units for molarity?
4. What units could be used to measure the velocity of a molecule of gas?
5. What is the numerical value of a mole?
6. A calorimeter is used to measure the amount of heat released in chemical reactions, what units are used?
7. The concentration of pollutants can be measured in ppm. Write the fraction that ppm represents?
8. What are the units quantities used in STP?

**Table D  
Selected Units**

Symbol	Name	Quantity
m	meter	length
g	gram	mass
Pa	pascal	pressure
K	kelvin	temperature
mol	mole	amount of substance
J	joule	energy, work, quantity of heat
s	second	time
L	liter	volume
ppm	part per million	concentration
M	molarity	solution concentration

**Table E**  
**Selected Polyatomic Ions**

$\text{H}_3\text{O}^+$	hydronium	$\text{CrO}_4^{2-}$	chromate
$\text{Hg}_2^{2+}$	dimercury (I)	$\text{Cr}_2\text{O}_7^{2-}$	dichromate
$\text{NH}_4^+$	ammonium	$\text{MnO}_4^-$	permanganate
$\left. \begin{array}{l} \text{C}_2\text{H}_3\text{O}_2^- \\ \text{CH}_3\text{COO}^- \end{array} \right\}$	acetate	$\text{NO}_2^-$	nitrite
$\text{CN}^-$	cyanide	$\text{NO}_3^-$	nitrate
$\text{CO}_3^{2-}$	carbonate	$\text{O}_2^{2-}$	peroxide
$\text{HCO}_3^-$	hydrogen carbonate	$\text{OH}^-$	hydroxide
$\text{C}_2\text{O}_4^{2-}$	oxalate	$\text{PO}_4^{3-}$	phosphate
$\text{ClO}^-$	hypochlorite	$\text{SCN}^-$	thiocyanate
$\text{ClO}_2^-$	chlorite	$\text{SO}_3^{2-}$	sulfite
$\text{ClO}_3^-$	chlorate	$\text{SO}_4^{2-}$	sulfate
$\text{ClO}_4^-$	perchlorate	$\text{HSO}_4^-$	hydrogen sulfate
		$\text{S}_2\text{O}_3^{2-}$	thiosulfate

**Table E Questions:**

1. What is a polyatomic ions?
2. What is the charge of carbonate?
3. What is the charge of permanganate?
4. Why does acetate has two different ways of writing it?
5. What does the Roman numeral "I" on dimercury (I) stand for?

**Table F**  
**Solubility Guidelines for Aqueous Solutions**


<b>Ions That Form Soluble Compounds</b>	<b>Exceptions</b>	<b>Ions That Form Insoluble Compounds</b>	<b>Exceptions</b>
Group 1 ions (Li <sup>+</sup> , Na <sup>+</sup> , etc.)		carbonate (CO <sub>3</sub> <sup>2-</sup> )	when combined with Group 1 ions or ammonium (NH <sub>4</sub> <sup>+</sup> )
ammonium (NH <sub>4</sub> <sup>+</sup> )		chromate (CrO <sub>4</sub> <sup>2-</sup> )	when combined with Group 1 ions, Ca <sup>2+</sup> , Mg <sup>2+</sup> , or ammonium (NH <sub>4</sub> <sup>+</sup> )
nitrate (NO <sub>3</sub> <sup>-</sup> )		phosphate (PO <sub>4</sub> <sup>3-</sup> )	when combined with Group 1 ions or ammonium (NH <sub>4</sub> <sup>+</sup> )
acetate (C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> <sup>-</sup> or CH <sub>3</sub> COO <sup>-</sup> )		sulfide (S <sup>2-</sup> )	when combined with Group 1 ions or ammonium (NH <sub>4</sub> <sup>+</sup> )
hydrogen carbonate (HCO <sub>3</sub> <sup>-</sup> )		hydroxide (OH <sup>-</sup> )	when combined with Group 1 ions, Ca <sup>2+</sup> , Ba <sup>2+</sup> , Sr <sup>2+</sup> , or ammonium (NH <sub>4</sub> <sup>+</sup> )
chlorate (ClO <sub>3</sub> <sup>-</sup> )			
perchlorate (ClO <sub>4</sub> <sup>-</sup> )			
halides (Cl <sup>-</sup> , Br <sup>-</sup> , I <sup>-</sup> )	when combined with Ag <sup>+</sup> , Pb <sup>2+</sup> , and Hg <sub>2</sub> <sup>2+</sup>		
sulfates (SO <sub>4</sub> <sup>2-</sup> )	when combined with Ag <sup>+</sup> , Ca <sup>2+</sup> , Sr <sup>2+</sup> , Ba <sup>2+</sup> , and Pb <sup>2+</sup>		

**Table F Questions**

Write the products and balance the reaction for the following double replacement reactions including the phase to describe the solubility of the products.

- MgSO<sub>4</sub> (aq) + BaCl<sub>2</sub> (aq) -->
- Ca(OH)<sub>2</sub> (aq) + H<sub>2</sub>SO<sub>4</sub> (aq) -->
- Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> (aq) + ZnCl<sub>2</sub> (aq) -->
- AgNO<sub>3</sub> (aq) + MgCl<sub>2</sub> (aq) -->
- AlBr<sub>3</sub> (aq) + K<sub>2</sub>SO<sub>4</sub> (aq) -->
- FeCl<sub>3</sub> (aq) + NaOH (aq) -->
- AgNO<sub>3</sub> (aq) + NaCl (aq) -->


**Table G Solubility Curves**



**Table G Questions:**

1. What compounds show a decrease in solubility from 0 to 50°C?
2. Which salt is most soluble at 60°C?
3. Which compound is least soluble at 100°C?
4. Which salt is least soluble at 70°C?
5. How many grams of KCl can be dissolved in 500 g of H<sub>2</sub>O at 30°C?
6. At 50°C, how much KNO<sub>3</sub> can be dissolved in 200 g of H<sub>2</sub>O?
7. Which salt shows the least change in solubility from 50 to 100°C?
8. At 30°C, 90 g of NaNO<sub>3</sub> is dissolved in 200 g of H<sub>2</sub>O. Is the solution saturated or unsaturated?
9. A saturated solution of KClO<sub>3</sub> is formed from 50g of water. If the solution is cooled from 90°C to 70°C, how many grams of precipitate are formed?

**Table H**  
**Vapor Pressure of Four Liquids**



**Table H Questions:**

1. Define the term vapor pressure.
2. What is the vapor pressure in kPa and atm of water at 100°C?
3. What is the vapor pressure in kPa and atm of ethanoic acid at 120°C?
4. What is the vapor pressure in kPa and atm of propane at 75°C?
5. Compare the vapor pressure of the four liquids at 70°C.
6. Liquids boil when the vapor pressure is equal to the pressure on the system. For instance, water boils at 100°C at 1 atm but when the pressure is 2 atm water boils at 118°C. Consider the four liquids boiling at 70°C, what is the pressure on the system for each liquid?

**Table I**  
**Heats of Reaction at 101.3 kPa and 298 K**

Reaction	$\Delta H$ (kJ)*
$\text{CH}_4(\text{g}) + 2\text{O}_2(\text{g}) \longrightarrow \text{CO}_2(\text{g}) + 2\text{H}_2\text{O}(\ell)$	-890.4
$\text{C}_3\text{H}_8(\text{g}) + 5\text{O}_2(\text{g}) \longrightarrow 3\text{CO}_2(\text{g}) + 4\text{H}_2\text{O}(\ell)$	-2219.2
$2\text{C}_8\text{H}_{18}(\ell) + 25\text{O}_2(\text{g}) \longrightarrow 16\text{CO}_2(\text{g}) + 18\text{H}_2\text{O}(\ell)$	-10943
$2\text{CH}_3\text{OH}(\ell) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g}) + 4\text{H}_2\text{O}(\ell)$	-1452
$\text{C}_2\text{H}_5\text{OH}(\ell) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g}) + 3\text{H}_2\text{O}(\ell)$	-1367
$\text{C}_6\text{H}_{12}\text{O}_6(\text{s}) + 6\text{O}_2(\text{g}) \longrightarrow 6\text{CO}_2(\text{g}) + 6\text{H}_2\text{O}(\ell)$	-2804
$2\text{CO}(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g})$	-566.0
$\text{C}(\text{s}) + \text{O}_2(\text{g}) \longrightarrow \text{CO}_2(\text{g})$	-393.5
$4\text{Al}(\text{s}) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{Al}_2\text{O}_3(\text{s})$	-3351
$\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{NO}(\text{g})$	+182.6
$\text{N}_2(\text{g}) + 2\text{O}_2(\text{g}) \longrightarrow 2\text{NO}_2(\text{g})$	+66.4
$2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{H}_2\text{O}(\text{g})$	-483.6
$2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{H}_2\text{O}(\ell)$	-571.6
$\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \longrightarrow 2\text{NH}_3(\text{g})$	-91.8
$2\text{C}(\text{s}) + 3\text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_6(\text{g})$	-84.0
$2\text{C}(\text{s}) + 2\text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_4(\text{g})$	+52.4
$2\text{C}(\text{s}) + \text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_2(\text{g})$	+227.4
$\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \longrightarrow 2\text{HI}(\text{g})$	+53.0
$\text{KNO}_3(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{K}^+(\text{aq}) + \text{NO}_3^-(\text{aq})$	+34.89
$\text{NaOH}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Na}^+(\text{aq}) + \text{OH}^-(\text{aq})$	-44.51
$\text{NH}_4\text{Cl}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{NH}_4^+(\text{aq}) + \text{Cl}^-(\text{aq})$	+14.78
$\text{NH}_4\text{NO}_3(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{NH}_4^+(\text{aq}) + \text{NO}_3^-(\text{aq})$	+25.69
$\text{NaCl}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Na}^+(\text{aq}) + \text{Cl}^-(\text{aq})$	+3.88
$\text{LiBr}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Li}^+(\text{aq}) + \text{Br}^-(\text{aq})$	-48.83
$\text{H}^+(\text{aq}) + \text{OH}^-(\text{aq}) \longrightarrow \text{H}_2\text{O}(\ell)$	-55.8

\*Minus sign indicates an exothermic reaction.

**Table I Questions:**

1. Draw a potential energy diagram for each reaction.
2. What is the formula for Heat of reaction ( $\Delta H$ )?
3. What is the sign of  $\Delta H$  when the Heat of reactants is more than the Heat of the products?
4. What is a exothermic reaction?
5. What is the sign of  $\Delta H$  when the Heat of reactants is less than the Heat of the products?
6. What is an endothermic reaction?
7. What is the pressure and temperature at which  $\Delta H$  was calculated for the reactions in the table?



**Table J  
Activity Series\*\***

Most	Metals	Nonmetals	Most
	Li	$F_2$	
	Rb	$Cl_2$	
	K	$Br_2$	
	Cs	$I_2$	
	Ba		
	Sr		
	Ca		
	Na		
	Mg		
	Al		
	Ti		
	Mn		
	Zn		
	Cr		
	Fe		
	Co		
	Ni		
	Sn		
	Pb		
	** $H_2$		
	Cu		
	Ag		
	Au		
↓			↓
Least			Least

\*\*Activity Series based on hydrogen standard

Note:  $H_2$  is not a metal

**Table J Questions:**

1. Is a more active metal easier to oxidize or reduce?
2. Is a more active nonmetal easier to oxidize or reduce?
3. A solution of  $CrCl_2$  will react with which of the following metals?  
Ag    Al    Cu    Mg    Ni    Zn
4. Write the oxidation and reduction half-reactions (if they occur) for
  - a. A copper penny placed in a silver nitrate solution.
  - b. A zinc bar is placed in a solution of  $NiCl_2$
  - c. An aluminum nail is placed in a solution of  $MgCl_2$
5. Draw a voltaic cell with a copper electrode and a nickel electrode. Include ions in solution. Label the anode and the cathode. Don't forget the salt bridge! Show the direction of current flow. Write equations for the oxidation and reduction half-reactions.
6. Which one of the following pairs represents a spontaneous reaction?
  - a. Ni,  $Zn^{2+}$
  - b.  $Ag^+$ , Cu
  - c. Al,  $Mg^{2+}$

**Table K  
Common Acids**

Formula	Name
HCl(aq)	hydrochloric acid
HNO <sub>3</sub> (aq)	nitric acid
H <sub>2</sub> SO <sub>4</sub> (aq)	sulfuric acid
H <sub>3</sub> PO <sub>4</sub> (aq)	phosphoric acid
H <sub>2</sub> CO <sub>3</sub> (aq) or CO <sub>2</sub> (aq)	carbonic acid
CH <sub>3</sub> COOH(aq) or HC <sub>2</sub> H <sub>3</sub> O <sub>2</sub> (aq)	ethanoic acid (acetic acid)

**Table K Questions:**

7. What are Arrhenius acids?
8. Write the dissociation reaction for each acid in the table. Example: HCl(aq)  $\rightarrow$  H<sup>+</sup>(aq) + Cl<sup>-</sup>(aq)
9. Are acids electrolytes? Why?
10. What is the alternate theory for acids?
11. Given this reaction: H<sub>2</sub>SO<sub>4</sub>(aq) + H<sub>2</sub>O(l)  $\leftrightarrow$  HSO<sub>4</sub><sup>-</sup>(aq) + H<sub>3</sub>O<sup>+</sup>(aq) find the acids in the forward and reverse reaction.
12. What are the possible pH for acidic solutions?

**Table L  
Common Bases**

Formula	Name
NaOH(aq)	sodium hydroxide
KOH(aq)	potassium hydroxide
Ca(OH) <sub>2</sub> (aq)	calcium hydroxide
NH <sub>3</sub> (aq)	aqueous ammonia

**Table L Questions:**

1. What are Arrhenius bases?
2. Write the dissociation reaction for each base in the table. Example: NaOH(aq)  $\rightarrow$  Na<sup>+</sup>(aq) + OH<sup>-</sup>(aq)
3. Are bases electrolytes? Why?
4. What is the alternate theory for bases?
5. Given this reaction: CH<sub>3</sub>COO<sup>-</sup>(aq) + H<sub>2</sub>O(l)  $\leftrightarrow$  CH<sub>3</sub>COOH(aq) + OH<sup>-</sup>(aq) find the bases in the forward and reverse reaction.
6. What are the possible pH for acidic solutions?
7. In the process of neutralization, an Arrhenius acid and an Arrhenius base react to form a salt and water. Write 5 neutralization reactions.

**Table M**  
**Common Acid–Base Indicators**

Indicator	Approximate pH Range for Color Change	Color Change
methyl orange	3.2–4.4	red to yellow
bromthymol blue	6.0–7.6	yellow to blue
phenolphthalein	8.2–10	colorless to pink
litmus	5.5–8.2	red to blue
bromcresol green	3.8–5.4	yellow to blue
thymol blue	8.0–9.6	yellow to blue

**Table M Questions:**

Describe the color of the indicators in the solutions given below.

pH	Solutions	methyl orange	bromthymol blue	phenolphthalein	litmus	bromcresol green	thymol blue
1	gastric juices						
2	lemons, vinegar						
3	apples, oranges, carbonated soft drinks						
4	tomatoes						
5	potatoes						
6	milk						
7	pure water, blood, saliva						
8	baking soda, eggs						
10	milk of magnesia						
11	ammonia						
12	soda ash (sodium carbonate)						
14	caustic soda (lye, sodium hydroxide)						

**Table N**  
**Selected Radioisotopes**

Nuclide	Half-Life	Decay Mode	Nuclide Name
$^{198}\text{Au}$	2.69 d	$\beta^-$	gold-198
$^{14}\text{C}$	5730 y	$\beta^-$	carbon-14
$^{37}\text{Ca}$	175 ms	$\beta^+$	calcium-37
$^{60}\text{Co}$	5.26 y	$\beta^-$	cobalt-60
$^{137}\text{Cs}$	30.23 y	$\beta^-$	cesium-137
$^{53}\text{Fe}$	8.51 min	$\beta^+$	iron-53
$^{220}\text{Fr}$	27.5 s	$\alpha$	francium-220
$^3\text{H}$	12.26 y	$\beta^-$	hydrogen-3
$^{131}\text{I}$	8.07 d	$\beta^-$	iodine-131
$^{37}\text{K}$	1.23 s	$\beta^+$	potassium-37
$^{42}\text{K}$	12.4 h	$\beta^-$	potassium-42
$^{85}\text{Kr}$	10.76 y	$\beta^-$	krypton-85
$^{16}\text{N}$	7.2 s	$\beta^-$	nitrogen-16
$^{19}\text{Ne}$	17.2 s	$\beta^+$	neon-19
$^{32}\text{P}$	14.3 d	$\beta^-$	phosphorus-32
$^{239}\text{Pu}$	$2.44 \times 10^4$ y	$\alpha$	plutonium-239
$^{226}\text{Ra}$	1600 y	$\alpha$	radium-226
$^{222}\text{Rn}$	3.82 d	$\alpha$	radon-222
$^{90}\text{Sr}$	28.1 y	$\beta^-$	strontium-90
$^{99}\text{Tc}$	$2.13 \times 10^5$ y	$\beta^-$	technetium-99
$^{232}\text{Th}$	$1.4 \times 10^{10}$ y	$\alpha$	thorium-232
$^{233}\text{U}$	$1.62 \times 10^5$ y	$\alpha$	uranium-233
$^{235}\text{U}$	$7.1 \times 10^8$ y	$\alpha$	uranium-235
$^{238}\text{U}$	$4.51 \times 10^9$ y	$\alpha$	uranium-238

ms = milliseconds; s = seconds; min = minutes;  
h = hours; d = days; y = years

**Table N Questions:**

1. What is the half-life of neon-19?
2. What is the decay mode of plutonium-239?
3. Which radioisotope decays the fastest?
4. Which radioisotope decays the slowest?
5. How many decay modes are included in the table?
6. Write the nuclear reaction of each radioisotope.
7. List all the radioisotopes that undergo beta decay and compare their atomic mass with the relative atomic mass of the respective element. What do you notice and can you find an explanation for the trend?
8. List all the radioisotopes that undergo positron decay and compare their atomic mass with the relative atomic mass of the respective element. What do you notice and can you find an explanation for the trend?
9. Alpha decay occurs mainly in isotopes with atomic numbers larger than 60. List all the radioisotopes undergoing alpha decay and verify the statement.

**Table O**  
**Symbols Used in Nuclear Chemistry**

Name	Notation	Symbol
alpha particle	${}^4_2\text{He}$ or ${}^4_2\alpha$	$\alpha$
beta particle (electron)	${}^0_{-1}\text{e}$ or ${}^0_{-1}\beta$	$\beta^-$
gamma radiation	${}^0_0\gamma$	$\gamma$
neutron	${}^1_0\text{n}$	n
proton	${}^1_1\text{H}$ or ${}^1_1\text{p}$	p
positron	${}^0_{+1}\text{e}$ or ${}^0_{+1}\beta$	$\beta^+$

**Table O Questions:**

1. What is the charge and mass of an alpha particle?
2. What is the difference between a beta particle and a positron?
3. What is the result of adding a positron and a beta particle together?
4. Why is a proton the same as hydrogen-1?
5. What is the charge and mass of gamma radiation?
6. What is another term for an electron?
7. Which particle has the most mass?
8. What is the symbol for beta particles?
9. Which particles will be deflected towards the positive electrode in an electrical field?
10. Which particles will be deflected towards the negative electrode in an electrical field?
11. Which particles will not be deflected in an electrical field?

**Table P**  
**Organic Prefixes**

Prefix	Number of Carbon Atoms
meth-	1
eth-	2
prop-	3
but-	4
pent-	5
hex-	6
hept-	7
oct-	8
non-	9
dec-	10

**Table Q**  
**Homologous Series of Hydrocarbons**

Name	General Formula	Examples	
		Name	Structural Formula
alkanes	$C_nH_{2n+2}$	ethane	<pre>       H   H                 H-C-C-H                   H   H           </pre>
alkenes	$C_nH_{2n}$	ethene	<pre>       H     H        \   /         C=C        /   \       H     H           </pre>
alkynes	$C_nH_{2n-2}$	ethyne	$H-C\equiv C-H$

$n$  = number of carbon atoms

**Table P and Q Question:**

Write the name, molecular formula, and draw the structural formula for five alkanes, alkenes, and alkynes using the table P.

**Table R**  
**Organic Functional Groups**

Class of Compound	Functional Group	General Formula	Example
halide (halocarbon)	-F (fluoro-) -Cl (chloro-) -Br (bromo-) -I (iodo-)	$R-X$ ( $X$ represents any halogen)	$CH_3CHClCH_3$ 2-chloropropane
alcohol	-OH	$R-OH$	$CH_3CH_2CH_2OH$ 1-propanol
ether	-O-	$R-O-R'$	$CH_3OCH_2CH_3$ methyl ethyl ether
aldehyde	$\begin{array}{c} O \\    \\ -C-H \end{array}$	$\begin{array}{c} O \\    \\ R-C-H \end{array}$	$\begin{array}{c} O \\    \\ CH_3CH_2C-H \end{array}$ propanal
ketone	$\begin{array}{c} O \\    \\ -C- \end{array}$	$\begin{array}{c} O \\    \\ R-C-R' \end{array}$	$\begin{array}{c} O \\    \\ CH_3CCH_2CH_2CH_3 \end{array}$ 2-pentanone
organic acid	$\begin{array}{c} O \\    \\ -C-OH \end{array}$	$\begin{array}{c} O \\    \\ R-C-OH \end{array}$	$\begin{array}{c} O \\    \\ CH_3CH_2C-OH \end{array}$ propanoic acid
ester	$\begin{array}{c} O \\    \\ -C-O- \end{array}$	$\begin{array}{c} O \\    \\ R-C-O-R' \end{array}$	$\begin{array}{c} O \\    \\ CH_3CH_2COCH_3 \end{array}$ methyl propanoate
amine	$\begin{array}{c}   \\ -N- \end{array}$	$\begin{array}{c} R' \\   \\ R-N-R'' \end{array}$	$CH_3CH_2CH_2NH_2$ 1-propanamine
amide	$\begin{array}{c} O \\    \\ -C-NH \end{array}$	$\begin{array}{c} O \quad R' \\    \quad   \\ R-C-NH \end{array}$	$\begin{array}{c} O \\    \\ CH_3CH_2C-NH_2 \end{array}$ propanamide

$R$  represents a bonded atom or group of atoms.

**Table R Question:**

Make up 2 more examples for each class of compounds. Write their names, and draw their structural formulas.

**Table S**  
**Properties of Selected Elements**

Atomic Number	Symbol	Name	First Ionization Energy (kJ/mol)	Electro-negativity	Melting Point (K)	Boiling* Point (K)	Density** (g/cm <sup>3</sup> )	Atomic Radius (pm)
1	H	hydrogen	1312	2.1	14	20	0.00009	37
2	He	helium	2372	—	1	4	0.000179	32
3	Li	lithium	520	1.0	454	1620	0.534	155
4	Be	beryllium	900	1.6	1551	3243	1.8477	112
5	B	boron	801	2.0	2573	3931	2.340	98
6	C	carbon	1086	2.6	3820	5100	3.513	91
7	N	nitrogen	1402	3.0	63	77	0.00125	92
8	O	oxygen	1314	3.5	55	90	0.001429	65
9	F	fluorine	1681	4.0	54	85	0.001696	57
10	Ne	neon	2081	—	24	27	0.0009	51
11	Na	sodium	496	0.9	371	1156	0.971	190
12	Mg	magnesium	736	1.3	922	1363	1.738	160
13	Al	aluminum	578	1.6	934	2740	2.698	143
14	Si	silicon	787	1.9	1683	2628	2.329	132
15	P	phosphorus	1012	2.2	317	553	1.820	128
16	S	sulfur	1000	2.6	386	718	2.070	127
17	Cl	chlorine	1251	3.2	172	239	0.003214	97
18	Ar	argon	1521	—	84	87	0.001783	88
19	K	potassium	419	0.8	337	1047	0.862	235
20	Ca	calcium	590	1.0	1112	1757	1.550	197
21	Sc	scandium	633	1.4	1814	3104	2.989	162
22	Ti	titanium	659	1.5	1933	3580	4.540	145
23	V	vanadium	651	1.6	2160	3650	6.100	134
24	Cr	chromium	653	1.7	2130	2945	7.190	130
25	Mn	manganese	717	1.6	1517	2235	7.440	135
26	Fe	iron	762	1.8	1808	3023	7.874	126
27	Co	cobalt	760	1.9	1768	3143	8.900	125
28	Ni	nickel	737	1.9	1726	3005	8.902	124
29	Cu	copper	745	1.9	1357	2840	8.960	128
30	Zn	zinc	906	1.7	693	1180	7.133	138
31	Ga	gallium	579	1.8	303	2676	5.907	141
32	Ge	germanium	762	2.0	1211	3103	5.323	137
33	As	arsenic	944	2.2	1090	889	5.780	139
34	Se	selenium	941	2.6	490	958	4.790	140
35	Br	bromine	1140	3.0	266	332	3.122	112
36	Kr	krypton	1351	—	117	121	0.00375	103
37	Rb	rubidium	403	0.8	312	961	1.532	248
38	Sr	strontium	549	1.0	1042	1637	2.540	215
39	Y	yttrium	600	1.2	1795	3611	4.469	178
40	Zr	zirconium	640	1.3	2125	4650	6.506	160

**USE YOUR OWN TABLES: THESE ARE TOO SMALL TO READ!**

Atomic Number	Symbol	Name	First Ionization Energy (kJ/mol)	Electro-negativity	Melting Point (K)	Boiling* Point (K)	Density** (g/cm <sup>3</sup> )	Atomic Radius (pm)
41	Nb	niobium	652	1.6	2741	5015	8.570	146
42	Mo	molybdenum	684	2.2	2890	4885	10.220	139
43	Tc	technetium	702	1.9	2445	5150	11.500	136
44	Ru	ruthenium	710	2.2	2583	4173	12.370	134
45	Rh	rhodium	720	2.3	2239	4000	12.410	134
46	Pd	palladium	804	2.2	1825	3413	12.020	137
47	Ag	silver	731	1.9	1235	2485	10.500	144
48	Cd	cadmium	868	1.7	594	1038	8.650	171
49	In	indium	558	1.8	429	2353	7.310	166
50	Sn	tin	709	2.0	505	2543	7.310	162
51	Sb	antimony	831	2.1	904	1908	6.691	159
52	Te	tellurium	869	2.1	723	1263	6.240	142
53	I	iodine	1008	2.7	387	458	4.930	132
54	Xe	xenon	1170	2.6	161	166	0.0059	124
55	Cs	cesium	376	0.8	302	952	1.873	267
56	Ba	barium	503	0.9	1002	1910	3.594	222
57	La	lanthanum	538	1.1	1194	3730	6.145	138
<b>Elements 58–71 have been omitted.</b>								
72	Hf	hafnium	659	1.3	2503	5470	13.310	167
73	Ta	tantalum	728	1.5	3269	5698	16.654	149
74	W	tungsten	759	2.4	3680	5930	19.300	141
75	Re	rhenium	756	1.9	3453	5900	21.020	137
76	Os	osmium	814	2.2	3327	5300	22.590	135
77	Ir	iridium	865	2.2	2683	4403	22.560	136
78	Pt	platinum	864	2.3	2045	4100	21.450	139
79	Au	gold	890	2.5	1338	3080	19.320	146
80	Hg	mercury	1007	2.0	234	630	13.546	160
81	Tl	thallium	589	2.0	577	1730	11.850	171
82	Pb	lead	716	2.3	601	2013	11.350	175
83	Bi	bismuth	703	2.0	545	1833	9.747	170
84	Po	polonium	812	2.0	527	1235	9.320	167
85	At	astatine	—	2.2	575	610	—	145
86	Rn	radon	1037	—	202	211	0.00973	134
87	Fr	francium	393	0.7	300	950	—	270
88	Ra	radium	—	0.9	973	1413	5.000	233
89	Ac	actinium	499	1.1	1320	3470	10.060	—
<b>Elements 90 and above have been omitted.</b>								

\*Boiling point at standard pressure

\*\*Density at STP



### Table S Questions:

1. Draw an empty periodic table (omit groups 3-12) and include Symbols, Atomic Number, and Electronegativity value for each element.
  - a. Draw a bar graph representing the trend of electronegativity in group 1 and 2. Organize symbols of elements on the X axis and the numerical values on the Y axis.
  - b. Draw a line graph representing the trend of electronegativity in period 3 and 4. Organize symbols of elements on the X axis and the numerical values on the Y axis.
  - c. In complete sentences, describe the Electronegativity's general trend in groups and periods.
  - d. State the reasons for your observations?
2. Draw an empty periodic table (omit groups 3-12) and include Symbols, Atomic Number, and Ionization Energy value for each element.
  - a. Draw a bar graph representing the trend of Ionization Energy in groups 1 and 2. Organize symbols of elements on the X axis and the numerical values on the Y axis.
  - b. Draw a line graph representing the trend of Ionization Energy in period 3 and 4. Organize symbols of elements on the X axis and the numerical values on the Y axis.
  - c. In complete sentences, describe the Ionization Energy's general trend in groups and periods.
  - d. State the reasons for your observations?
3. Draw an empty periodic table (omit groups 3-12) and include Symbols, Atomic Number, and Atomic Radius value for each element.
  - a. Draw a bar graph representing the trend of Atomic Radius in group 1 and 2. Organize symbols of elements on the X axis and the Atomic Radius on the Y axis.
  - b. Draw a line graph representing the trend of Atomic Radius in period 3 and 4. Organize symbols of elements on the X axis and the Atomic Radius on the Y axis.
  - c. In complete sentences, describe the Atomic Radius's general trend in groups and periods.
  - d. State the reasons for your observations?
4. Using answers from problems #1 & 2 find any correlation between Electronegativity and Ionization Energy.
5. Using answers from problem #3 find any correlation between Atomic Radius and Atomic Number.
6. Make a bar graph for the boiling points values of the Noble Gases.
  - a. Find the correlation between the trend for Atomic Radius and the Atomic Number for the Noble Gases.
  - b. Explain your findings.
7. At what pressure the Boiling Points have been calculated?
8. At what temperature and pressure the Densities have been calculated?
9. What is the density of 2 moles of water?
10. Using the density of helium, what is the mass of 2 moles of helium?
11. Would the density of neon be higher or lower if its density were calculated at 2 atm.
12. What is the general correlation between Melting Points and Boiling Points?

**Table T**  
**Important Formulas and Equations**

<b>Density</b>	$d = \frac{m}{V}$	$d$ = density $m$ = mass $V$ = volume	
<b>Mole Calculations</b>	number of moles = $\frac{\text{given mass (g)}}{\text{gram-formula mass}}$		
<b>Percent Error</b>	$\% \text{ error} = \frac{\text{measured value} - \text{accepted value}}{\text{accepted value}} \times 100$		
<b>Percent Composition</b>	$\% \text{ composition by mass} = \frac{\text{mass of part}}{\text{mass of whole}} \times 100$		
<b>Concentration</b>	parts per million = $\frac{\text{grams of solute}}{\text{grams of solution}} \times 1000000$		
	molarity = $\frac{\text{moles of solute}}{\text{liters of solution}}$		
<b>Combined Gas Law</b>	$\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$	$P$ = pressure $V$ = volume $T$ = temperature (K)	
<b>Titration</b>	$M_A V_A = M_B V_B$	$M_A$ = molarity of $H^+$ $V_A$ = volume of acid	$M_B$ = molarity of $OH^-$ $V_B$ = volume of base
<b>Heat</b>	$q = mC\Delta T$ $q = mH_f$ $q = mH_v$	$q$ = heat $m$ = mass $C$ = specific heat capacity $\Delta T$ = change in temperature	$H_f$ = heat of fusion $H_v$ = heat of vaporization
<b>Temperature</b>	$K = ^\circ C + 273$	$K$ = kelvin $^\circ C$ = degrees Celsius	
<b>Radioactive Decay</b>	fraction remaining = $\left(\frac{1}{2}\right)^{\frac{t}{T}}$		$t$ = total time elapsed
	number of half-life periods = $\frac{t}{T}$		$T$ = half-life

## **Table T Questions:**

### **Density**

1. Calculate  $m$  in terms of  $d$  and  $v$ .
2. Calculate  $v$  in terms of  $m$  and  $d$ .
3. What is the  $d$  of an object with a mass of 102.0 g and a volume of  $10\text{ cm}^3$ ?
4. What happened to the  $d$  of an object whose  $v$  decreases?
5. A nail ( $m = 2\text{ g}$  and  $V = 0.5\text{ cm}^3$ ) is cut in 2 pieces. Explain why the  $d$  of each half remains the same as the original nail.
6. An object has a mass of 23 g and a density of  $10\text{ g/cm}^3$  what is its volume?
7. What is the density of aluminum?

### **Mole Calculations**

1. What is the number of mole in a sample of 45g of  $\text{H}_2\text{O}$ ?
2. What is the number of mole in a sample of 6g of  $\text{NH}_3$ ?
3. What is the mass of 2 moles of  $\text{H}_2\text{O}_2$ ?
4. What is the mass of 4 moles of  $\text{C}_2\text{H}_2$ ?

### **Percent Error**

1. Can the Percent Error be less than 0?
2. What is the difference between the measured value and the accepted value if the Percent Error is 100?
3. A Student calculates the density of iron at STP to be  $8.956\text{ g/cm}^3$ . What is the Percent Error?
4. Why do we have to calculate the Percent Error in scientific experiments?
5. In an experiment a student calculates the atomic radius for iridium. The % error of the calculation is 23 %. What is the experimental value?

### **Percent Composition**

1. What is the percent composition by mass of H in  $\text{H}_2\text{O}_2$ ?
2. What is the percent composition by mass of all the elements in  $(\text{NH}_4)_3\text{PO}_4$ ?
3. What is the percent, by mass, of water in  $\text{MgSO}_4 \cdot 2\text{H}_2\text{O}$ ?
4. How many grams of O can be produced from the decomposition of 50g of  $\text{H}_2\text{O}$ ?
5. How much phosphorus can be recovered from 25g of  $(\text{NH}_4)_3\text{PO}_4$ ?
6. How much potassium can be produced from 125g of  $\text{KMnO}_4$ ?

### **Concentration**

1. Describe the laboratory procedure to make a 2 M  $\text{NaCl(aq)}$  solution.
2. What is the molarity of a solution of KOH if 1000 ml of the solution contains 11.2 grams of KOH?
3. How many moles of KOH are contained in 250 mL of 2.0 M solution of  $\text{KOH}$ ?
4. A 40.0 milliliter sample of 0.50 M  $\text{HCl}$  is diluted with water to a volume of 100. milliliters. What is the new concentration of the solution?
5. What is the concentration in parts per millions if a 500 g solution of copper (II) sulfate contains 5 mg of copper (II) sulfate?

## Combined Gas Law

1. Given the formula for the combined gas law, express every single term in terms of the other terms.
2. What will be the new formula if temperature is constant?
  - a. What is the name of this formula?
  - b. Draw a line graph representing the relationship.
  - c. Explain in a sentence the result of the line graph.
  - d. Find an example to illustrate your findings.
3. What will be the formula if pressure is constant?
  - a. What is the name of this formula?
  - b. Draw a line graph representing the relationship.
  - c. Explain in a sentence the result of the line graph.
  - d. Find an example to illustrate your findings.
4. What temperature scale has to be used for temperature?
5. Do any specific scales have to be used for pressure and volume?
6. At STP, a sample of hydrogen gas has a volume of 10 L. If the temperature is double and the pressure is double, what is the new volume of the gas sample?
7. At STP, a sample of helium gas has a volume of 5 L. If the temperature is quadruple and the pressure is triple, what is the new volume of the gas sample?

## Titration

1. What is a titration?
2. How many milliliters of 0.50 M NaOH are required to exactly neutralize 20.0 milliliters of 0.20 M HCl?
3. If 100. milliliters of a 3.0 M solution of HCl is exactly neutralized by 80. milliliters of NaOH, what is the molarity of the NaOH solution?
4. What is the molarity of an HNO<sub>3</sub> solution if 10.0 milliliters of 0.40 M LiOH is required to exactly neutralize 200 milliliters of the HNO<sub>3</sub> solution?
5. How many milliliters of 1.0 M HCl are needed to exactly neutralize 50. milliliters of 0.5 M KOH?
6. Describe the laboratory procedure of titration.

## Heat

1. What is the definition of specific heat capacity?
2. How is the heat of fusion defined?
3. What is the definition of heat of vaporization?
4. Write the formula for change in temperature.
5. What is the specific heat capacity of water?
6. The temperature of 10 g of water has increased by 10 K, how much heat was absorbed?
7. After an experiment using 2 g of water, 20 J was released in the surrounding and the final temperature is 257 K, what was the original temperature of the water?
8. What is the value for the heat of fusion for water in J/g?
9. What is the value for the heat of vaporization in J/g?
10. How many Joules are required to melt 1000 g of water?
11. How many Joules are needed to vaporize 10 g of water?

## Temperature

1. Convert the followings:  $0^{\circ}\text{C}$  to K,  $373\text{ K}$  to  $^{\circ}\text{C}$ ,  $35^{\circ}\text{C}$  to K
2. What is the difference in degree Celsius and in Kelvin between the freezing and the boiling point of water?
3. How is temperature defined?
4. Is 1 K equal to  $1^{\circ}\text{C}$ ? Why?

## Radioactive Decay

1. What is the concept of half-life?
2. What is the concept of Radioactive Decay?
3. What is the value of  $(1/2)^0$ ?
4. What is the value of  $(1/2)^1$ ?
5. When is  $t/T = 0$ ?
6. When is  $t/T = 1$ ?
7. After how many half-life periods an original sample of a radioisotope will decreased by  $1/4$ ?
8. What is the fraction remaining after 5 half-lives have elapsed?
9. What is the half-life of nitrogen-16?
10. A sample of uranium-238 is stored in a safe place, what is the amount remaining after  $1.35 \times 10^{10}$  years and what kind of decay particle are given throughout the years?
11. A sample of an unknown radioisotope has taken 2 weeks and  $2/5$  of a day to have  $1/64$  of the original sample remaining. What is this radioisotope?
12. If the initial mass of a sample of cesium-137 is 1.00 g, how much will remain after 151 years?
13. Consider a sample of fossilized wood that originally contained 24 g of carbon-14. It now contains 1.5 g of carbon-14. How old is the sample?
14. A 64 g sample of germanium-66 is left undisturbed for 12.5 hours. At the end of that period, only 2.0 g remain. What is the half-life of this material?
15. If a pellet of cobalt-60 that has been in storage for 26.5 years contains 14.5 g of cobalt-60, how much of this radioisotope was present when the pellet was put into storage?
16. How long will it take for 1.00 gram of strontium-90 to decay to 125 mg?
17. A patient receives iodine-131 as a medical treatment on Sunday October 18 at 8:00:00 am.  
On what day, date, hour, minute, and second will only  $1/8$  of the original sample still be radioactive?

KEY		
Atomic Mass →	12.0111	← Selected Oxidation States
Symbol →	C	+2
Atomic Number →	6	+4
Electron Configuration →	2-4	

Relative atomic masses are based on  $^{12}\text{C} = 12.000$

**Note:** Mass numbers in parentheses are mass numbers of the most stable or common isotope.

### Periodic Table Questions:

1. Which elements are in the liquid phase at room temperature?
2. Which elements are in the gas phase at room temperature?
3. What are the 2 main divisions of the periodic table?
4. What are the 7 metalloids?
5. What is the number of e-, p, and n in a neutral atom of nitrogen?
6. What is the Atomic Mass of xenon?
7. What is the Atomic Number of barium?
8. What is the electron configuration of iodine?
9. What are the relative atomic masses based on?
10. What are the Selected Oxidation States of chlorine?
11. What is the Symbol of krypton?
12. Name the 6 Noble Gases?
13. What are the characteristics of metals?
14. What are the characteristics of nonmetals?
15. What are the characteristics of metalloids?
16. Is hydrogen considered a metal?
17. What is the difference between helium and the other Noble Gases?
18. How many groups are in the Periodic Table of Elements?
19. How many periods are in the Periodic Table of Elements?
20. What does the period number indicate in the electron configuration of an atom?
21. What does the group number indicate in the electron configuration of an atom?
22. What is the name of groups 3-12?
23. What is the name of group 1?
24. What is the name of group 2?
25. What is the name of group 17?
26. What is the name of group 18?
27. What does the Selected Oxidation States numbers represent?
28. How many valence electrons are in an atom of cesium?
29. What is the outermost principal quantum number for an atom of arsenic?
30. What element has an electron configuration of 2-8-10-2?